

NAME

archive_entry_hardlink, **archive_entry_set_hardlink**, **archive_entry_copy_hardlink_w**, **archive_entry_set_link**, **archive_entry_copy_link**, **archive_entry_update_hardlink_utf8**, **archive_entry_pathname**, **archive_entry_set_pathname**, **archive_entry_copy_pathname_w**, **archive_entry_update_pathname_utf8**, **archive_entry_sourcepath**, **archive_entry_copy_sourcepath**, **archive_entry_symlink_w**, **archive_entry_set_symlink**, **archive_entry_copy_symlink**, **archive_entry_update_symlink_utf8** — functions for manipulating path names in archive entry descriptions

LIBRARY

Streaming Archive Library (libarchive, -larchive)

SYNOPSIS

```

#include <archive_entry.h>

const char *
archive_entry_hardlink(struct archive_entry *a);

const wchar_t *
archive_entry_hardlink_w(struct archive_entry *a);

void
archive_entry_set_hardlink(struct archive_entry *a, const char *path);

void
archive_entry_copy_hardlink(struct archive_entry *a, const char *path);

void
archive_entry_copy_hardlink_w(struct archive_entry *a, const wchar_t,
    *path");

int
archive_entry_update_hardlink_utf8(struct archive_entry *a,
    const char *path);

void
archive_entry_set_link(struct archive_entry *a, const char *path);

void
archive_entry_copy_link(struct archive_entry *a, const char *path);

void
archive_entry_copy_link_w(struct archive_entry *a, const wchar_t *path);

int
archive_entry_update_link_utf8(struct archive_entry *a, const char *path);

const char *
archive_entry_pathname(struct archive_entry *a);

```

```

const wchar_t *
archive_entry_pathname_w(struct archive_entry *a);
void
archive_entry_set_pathname(struct archive_entry *a, const char *path);
void
archive_entry_copy_pathname(struct archive_entry *a, const char *path);
void
archive_entry_copy_pathname_w(struct archive_entry *a,
    const wchar_t *path);
int
archive_entry_update_pathname_utf8(struct archive_entry *a,
    const char *path);
const char *
archive_entry_sourcepath(struct archive_entry *a);
void
archive_entry_copy_sourcepath(struct archive_entry *a, const char *path);
const char *
archive_entry_symlink(struct archive_entry *a);
const wchar_t *
archive_entry_symlink_w(struct archive_entry *a);
void
archive_entry_set_symlink(struct archive_entry *a, const char *path);
void
archive_entry_copy_symlink(struct archive_entry *a, const char *path);
void
archive_entry_copy_symlink_w(struct archive_entry *a, const wchar_t *path);
int
archive_entry_update_symlink_utf8(struct archive_entry *a,
    const char *path);

```

DESCRIPTION

Path names supported by `archive_entry(3)`:

<code>hardlink</code>	Destination of the hardlink.
<code>link</code>	Update only. For a symlink, update the destination. Otherwise, make the entry a hardlink and alter the destination for that.
<code>pathname</code>	Path in the archive
<code>sourcepath</code>	Path on the disk for use by <code>archive_read_disk(3)</code> .
<code>symlink</code>	Destination of the symbolic link.

Path names can be provided in one of three different ways:

<code>char *</code>	Multibyte strings in the current locale.
<code>wchar_t *</code>	Wide character strings in the current locale. The accessor functions are named XXX_w() .
UTF-8	Unicode strings encoded as UTF-8. These are convenience functions to update both the multi-byte and wide character strings at the same time.

The sourcepath is a pure filesystem concept and never stored in an archive directly.

For that reason, it is only available as multibyte string. The link path is a convenience function for conditionally setting hardlink or symlink destination. It doesn't have a corresponding get accessor function.

archive_entry_set_XXX() is an alias for **archive_entry_copy_XXX()**.

SEE ALSO

archive_entry(3), libarchive(3)